

POWERED by 
ISUZU

ISUZU 20 KVA ULTRA SILENT GENERATOR



 **READY STOCK**



FAST SHIPPING

POWERED by
ISUZU

V-GEN 20-1
ISUZU 20 KVA



SPECIFICATION

DETAIL SPECIFICATION	
Capacity	20 KVA/ 16 KW
Engine Manufacturer	ISUZU
Number of Cylinder	4
Cylinder Arrangement	In-Line
Cycle	4 Stroke
Displacement (L)	2.771
Aspiration	Natural
System of Starting	Electric with Accu
System of Cooling	Water-Cooled
Combustion System	Direct Injection
Number of Phase	3 (Three)
Bore and stroke (mm)	93 x 102
Oil Consumption (L)	5.5
Solar Consumption 75% (L/H)	4.6
Solar Consumption 100% (L/H)	6.2
Tank Capacity (L)	50
Compression Ratio	18.2:1
Winding Pitch	TWO THIRDS
Rated Speed	1500 rpm
Rated Frequency	50 Hz
Rated Voltage	220/380V

POWERED by
ISUZU

V-GEN 20-1
ISUZU 20 KVA

DIMENTION



DIMENSION SILENT TYPE	
Length (mm)	2000
Width (mm)	950
Height (mm)	1250
Weight (kg)	796



WEIFANG - WINSTON GENERATOR SET

POWERED by
ISUZU

V-GEN 20-1
ISUZU 20 KVA

PANEL DEEPSEA



DEEPSEA

Standard Control Panel Deepsea uses micro processing technique integrating digital, intelligent and network techniques which can carry out functions including auto start/stop, data measure, alarming. The controller uses LCD display.

Optional Chinese and English display interface with operation easy and reliable. It can be widely used in all types of generator automatic control system for compact structure, advanced circuits, simple connections and high reliability

WORKSHOP

> TANGERANG

Jl. Daan mogot KM 22 no 1 Batu Ceper.

> Surabaya

Margomulyo Permai Blok AB no 62.

SEMARANG <

Kawasan Industri Candi Gatot Subroto Blok 12 no 6.

BALI <

Jln Mahendaradata Selatan no 18X Denpasar.

